

The image features a 5x4 grid of squares. The top row consists of four squares with a light blue to white gradient. The second row has four squares with a medium blue gradient. The third row has four squares with a darker blue gradient. The fourth row has four squares with a very dark blue gradient. The bottom row has four squares with the darkest blue gradient. The text 'OUTDOOR DOWNLIGHT' is positioned in the bottom right corner of the grid.

***OUTDOOR
DOWNLIGHT***



NANO-R

2150.-

DIA 90 mm. H 77 mm.



LED COB 10W 843lm
3000K, 4000K
Matt white trim

IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

NANO-S

2150.-

DIA 90x90 mm. H 77 mm.



LED COB 10W 843lm
3000K, 4000K
Matt white trim

IP 65

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



DOWNLIGHT



TITAN

2150.-

DIA 90 mm. H 92 mm.



LED COB 10W 755lm



3000K, 4000K

Matt white/ Matt black/

IP 65



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

LUCENT

600.-

DIA 85 mm. H 45 mm.



MR16x1/ GU10/ LED Module

Matt white/ Matt black trim

IP 65



Fixed

Aluminium Body

Clear glass cover



HOWELL

1000.-

DIA 100 mm. H 65 mm.



GX53 Max. 50W

Sand black

IP 54



Fixed

Aluminium Body

Frosted glass cover




DOWNLIGHT




HUGO-R

1800.-

DIA 110 mm. H 160 mm.

 E27x1 Max. 60W
Sand black


IP 54

 Fixed
Aluminium Body
Clear glass cover


HUGO-S

1800.-

DIA 110x110 mm. H 160 mm.

 E27x1 Max. 60W
Sand black

IP 54

 Fixed
Aluminium Body
Clear glass cover




DOWNLIGHT




LINDA-R

1500.-

DIA 90 mm. H 95 mm.

 GU10x1 Max.50W
Sand black/ Sand white


IP 65

 Fixed
Aluminium Body
Frosted glass cover


LINDA-S

1500.-

DIA 90x90 mm. H 95 mm.

 GU10x1 Max.50W
Sand black/ Sand white

IP 65

 Fixed
Aluminium Body
Frosted glass cover




DOWNLIGHT




JADEN-R

1500.-

DIA 90 mm. H 120 mm.

 GU10x1 Max.50W
Sand black


IP 54

 Fixed
Aluminium Body
Clear glass cover


JADEN-S

1500.-

DIA 90x90 mm. H 125 mm.

 GU10x1 Max.50W
Sand black

IP 54

 Fixed
Aluminium Body
Clear glass cover



DOWNLIGHT

A 5x4 grid of squares. The top row is white, and the bottom row is dark blue. The colors transition from white at the top to dark blue at the bottom, with intermediate shades of light blue, medium blue, and teal. The text 'WALL LIGHT' is written in white, bold, italicized capital letters in the bottom right corner of the grid.

WALL LIGHT



YORK-R1

1150.-


DIA 90 mm. H 170 mm.



1x E27 MAX. LED 13W

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



YORK-R2

1350.-


DIA 90 mm. H 280 mm.



2x E27 MAX. LED 13W

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



YORK-S1

1150.-


DIA 90x90 mm. H 190 mm.



1x E27 MAX. LED 13W

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



YORK-S2

1350.-


DIA 90x90 mm. H 280 mm.



2x E27 MAX. LED 13W

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



ALYN-R1

1150.-

DIA 90 mm. H 133 mm.




1x GU10 MAX. 50W

IP 65

● ● Black / Grey

Aluminium body

Clear glass cover



ALYN-R2

1350.-

DIA 90 mm. H 166 mm.




2x GU10 MAX. 50W

IP 65

● ● Black / Grey

Aluminium body

Clear glass cover



WALL LIGHT



ALYN-S1

1150.-

DIA 87x87 mm. H 130 mm.




1x GU10 MAX. 50W

IP 65

● ● Black / Grey

Aluminium body

Clear glass cover



ALYN-S2

1350.-

DIA 87x87 mm. H 160 mm.




2x GU10 MAX. 50W

IP 65

● ● Black / Grey

Aluminium body

Clear glass cover



WALL LIGHT



WATT-S1

800.-


DIA 81x68 mm. D 92 mm.



1x GU10 MAX. 50W

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WATT-S2

1000.-


DIA 68x150 mm. D 92 mm.



2x GU10 MAX. 50W

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



WATT-R1

800.-


DIA 65x78 mm. D 95 mm.



1x GU10 MAX. 50W

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WATT-R2

1000.-


DIA 65x145 mm. D 95 mm.



2x GU10 MAX. 50W

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



FENIX-S1

1500.-

DIA 100x150 mm. D 100 mm.




1x GU10 MAX. 50W

IP 54



Black

Aluminium body



FENIX-S2

1800.-

DIA 100x230 mm. D 1000 mm.




2x GU10 MAX. 50W

IP 54



Black

Aluminium body



WALL LIGHT



MIND

1200.-

DIA 100 mm. H 90 mm.



1x GU10 MAX. 50W


IP 54



Black

Aluminium body

Clear glass cover



PACO

1000.-

DIA 95x65 mm. H 95 mm.



1x GU10 MAX. 50W


IP 54



Black

Aluminium body

Clear glass cover



WALL LIGHT




MABEL-R2

2000.-

DIA 120x115 mm. D 90 mm.

LED 2x3W
3000K IP 54

- Black
LED Driver Included
Aluminium body





MABEL-R4

2250.-

DIA 120 mm. D 90 mm.

LED 4x1W
3000K IP 54

- Black
LED Driver Included
Aluminium body



WALL LIGHT



SAGA

2500.-

DIA 109x173 mm. D 63 mm.



LED 2x3W 270lm



3000K

IP 54




Black / Grey

LED Driver Included

Aluminium body

Clear glass cover



WEE

3000.-

DIA 44x125 mm. D 90 mm.



LED 2x3W 270lm



3000K

IP 54




Black

LED Driver Included

Aluminium body

Clear glass cover



WALL LIGHT



TALA-S1

2000.-

W 30x60 mm. D 85 mm.



LED 1x3W 165lm

3000K


IP 65



Black

LED Driver Included

Aluminium body



TALA-S2

2400.-

DIA 60x30 mm. D 85 mm.



LED 2x1W 2x85lm

3000K



IP 65



Black

LED Driver Included

Aluminium body



WALL LIGHT



WEBB-G9

1200.-

DIA 90x95 mm. D 90 mm.



1x G9 MAX. 40W


IP 54



Black / Grey

Aluminium body

Clear glass cover



TAG-2S

3250.-

DIA 100x136 mm. D 56 mm.



LED 2x6W 2x270lm



3000K


IP 65



Black / Grey

LED Driver Included

Aluminium body




WALL LIGHT




RAMON


3000.-

DIA 95x100 mm. D 60 mm.

 LED 3x1W 368lm

 3000K **IP 65**


- Black
- LED Driver Included
- Aluminium body
- Clear glass cover




VERON


2000.-

DIA 65x88 mm. D 40 mm.


 LED 1x3W 270lm

 3000K **IP 54**

- ● Black / Grey
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT



PRIVE

1800.-

DIA 190 mm. D 82.5 mm.


LED 10W 499lm



3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



GRACE

2750.-

DIA 145x240 mm. D 100 mm.




LED 12W 1080lm



3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT



EVA

2000.-

DIA 80x105 mm. D 100 mm.



LED 5W 400lm

3000K


IP 54



Black

LED Driver Included

Aluminium body



KENNA

2500.-

DIA 90x220 mm. D 80 mm.



LED 6W 375lm

3000K



IP 54



Black

LED Driver Included

Aluminium body



WALL LIGHT





SCOTT **2150.-**

DIA 45x120 mm. D 145 mm.

LED 6W 268lm
3000K **IP 54**

- Black
- LED Driver Included
- Aluminium body





SAM **2000.-**

DIA 100x100 mm. D 100 mm.

LED 2x3W 430lm
3000K **IP 65**

- ● Black
- LED Driver Included
- Aluminium body



WALL LIGHT



JANIS-R

2000.-

DIA 160 mm. D 100 mm.



LED 10W 560lm



3000K


IP 54



Black

LED Driver Included

Aluminium body



JANIS-S

2000.-

DIA 160x160 mm. D 100 mm.



LED 10W 560lm



3000K


IP 54



Black

LED Driver Included

Aluminium body



WALL LIGHT




PIMM **3500.-**

DIA 180 mm. D 45 mm.

LED 9W 325lm
3000K **IP 54**

● Black
Aluminium body




ZEAL **1500.-**

DIA 150x180 mm. D 83 mm.

LED 12W 880lm
3000K **IP 54**

● Black
Aluminium body
PC diffuser





REXTON

1850.-


DIA 110x250 mm. D 103 mm.



1x E27 MAX. LED 13W

IP 54

- ● Black / Grey
- Aluminium body
- PC diffuser



RENZO

1800.-


DIA 165x165 mm. D 171 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



ROMA

1650.-

DIA 145x275 mm. D 102 mm.



1x E27 MAX. LED 13W


IP 54



Black

Aluminium body

PC diffuser



RAMSEY

1800.-

DIA 110x281 mm. D 84 mm.



1x E27 MAX. LED 13W


IP 54



Black

Aluminium body

Frosted glass diffuser



WALL LIGHT



ROCCO

1800.-

DIA 120x245 mm. D 80 mm.




1x E27 MAX. LED 13W

IP 54



Black
Aluminium body
PC diffuser



RIO

1500.-


DIA 120x350 mm. D 120 mm.



1x E27 MAX. LED 13W



Black
Aluminium body
PC diffuser



WALL LIGHT



RITA

1500.-


DIA 185x285 mm. D 100 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



RISTON

1500.-


DIA 185x280 mm. D 100 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



RANDI

1500.-

DIA 120x249 mm. H 135 mm.





2x E27 MAX. LED 13W

IP 54



Black
Aluminium body
PC diffuser



HALLY

1600.-

DIA 70x170 mm D 190 mm.





1x E27 MAX. LED 13W

IP 54



Black
Aluminium body
Frosted glass diffuser



WALL LIGHT



CAMEO

1800.-

DIA 140x260 mm. D 136 mm.




1x E27 MAX. LED 13W

IP 54



Black
Iron body
Clear glass diffuser



DIOR

1800.-

DIA 170x322 mm. D 182 mm.




1x E27 MAX. LED 13W

IP 54



Black
Iron body
Clear glass diffuser



CARTER

2000.-

DIA 143x320 mm. D 186 mm.




1x E27 MAX. LED 13W

IP 54



Black
Aluminium body
Clear glass diffuser





VEGA **2400.-**


DIA 110x250 mm. D 103 mm.



1x E27 MAX. LED 13W

IP 54

- ● Black / Grey
- Aluminium body
- PC diffuser



FOX **2400.-**



DIA 100x250 mm. D 110 mm.



1x E27 MAX. LED 13W

IP 54

- ● Black
- Aluminium body
- PC diffuser



WALL LIGHT



VICK **1800.-**


W 110x280 mm. D 85 mm.



1x E27 MAX. LED 13W

IP 54

- ● Black
- Aluminium body
- PC diffuser





JACEY-R

1800.-


DIA 275 mm. D 80 mm.



2x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



JACEY-S

1800.-


DIA 270x270 mm D 80 mm.




2x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



LEON-WR

1350.-

DIA 85x162 mm. D 120 mm.



1x E27 MAX. LED 13W

IP 54



Black
Aluminium body
PC diffuser

LEON-WS

1350.-

DIA 85x85x162 mm D 120 mm.



1x E27 MAX. LED 13W

IP 54



Black
Aluminium body
PC diffuser



WALL LIGHT



KELL

800.-

DIA 163x282 mm. D 109 mm.



1x E27 MAX. LED 13W

IP 54



Black/ White

PC body

Frosted glass diffuser

NANA

1500.-

DIA 90x220 mm. D 80 mm.



1x E27 MAX. LED 13W

IP 54



Black

Aluminium body

PC diffuser



RODIO

1200.-

DIA 60*170 mm. D 88 mm.



1x GU10 MAX. 50W

IP 54



Black

Aluminium body

Glass cover



WALL LIGHT



REBEL

2500.-

DIA 80x160 mm. D 70 mm.


LED 6W 600lm



3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Adjustable angle



RIVA

2000.-

DIA 100x240 mm. D 155 mm.




LED 6W 600lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



ELLY-1

2000.-

DIA 68x100 mm. D 78 mm.




LED 6W 490lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



ELLY-2

3500.-

DIA 68x160 mm. D 78 mm.




LED 2x6W 2x490lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT



MAKI-R1

1150.-

DIA 90 mm. H 136 mm.



1x GU10 MAX. 50W

IP 54



Black

Aluminium body

PC diffuser

MAKI-R2

1650 .-

DIA 90 mm. H 212 mm.



2x GU10 MAX. 50W

IP 54



Black

Aluminium body

PC diffuser



WALL LIGHT



MAKI-S1

1150.-

DIA 85×85 mm. H: 136 mm.



1x GU10 MAX. 50W



Black

Aluminium body

PC diffuser

MAKI-S2

1650.-

DIA 85×85 mm. H 212 mm.



2x GU10 MAX. 50W

IP 54



Black

Aluminium body

PC diffuser



WALL LIGHT



TOLL-R

2750.-

DIA 160x276 mm. D 215 mm.



1x E27 MAX. LED 13W

IP 54

- Black/ White
- Aluminium body
- PC diffuser

TOLL-S

2750.-

DIA 145x145x276 mm. D 215 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



CATT

2750.-

DIA 90x90x200 mm. D 125 mm.




LED 9W 455lm

3000K

IP 54

- Black
- Aluminium body
- PC diffuser

WALL LIGHT



GLATO

2000.-

DIA 102x180 mm. D 92 mm.



1x GU10 MAX. 50W

IP 54



Black

Aluminium body

PC diffuser

GLENN

1350.-

DIA 68x140 mm. D 69 mm.



1x GU10 MAX. 50W


IP 54



Black

Aluminium body

Clear glass cover



LINA

2000.-

DIA 75x192 mm. D 97 mm.



LED 10W 650lm

3000K


IP 54




Black

Aluminium body

Clear glass cover



WALL LIGHT




GALLY-R

1000.-

DIA 110 mm. D 26 mm.

 **LED 2W 120lm**
 3000K

IP 54

-  Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body


GALLY-S

1000.-

DIA 100x100 mm. D 26 mm.

 **LED 2W 120lm**
 3000K

IP 54



-  Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body




GALLY-SL

1200.-

DIA 60x150 mm. D 28 mm.

 **LED 3W 185lm**
 3000K

IP 54

-  Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body



WALL LIGHT



STEP-R

1500.-

DIA 110 mm. D 25 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

STEP-S

1500.-

DIA 105x105 mm. D 24 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



MONA-R

1200.-

DIA 95 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65



Surface mounted type

Black

LED Driver Included

Aluminium body

MONA-S

1200.-

DIA 90x90 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65



Surface mounted type

Black

LED Driver Included

Aluminium body



WALL LIGHT



HANA-A

1200.-

DIA 125x125 mm. D 27 mm.



LED 3W 250lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body

HANA-B

1200.-

DIA 125x125 mm. D 27 mm.



LED 1.5W 145lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body



WALL LIGHT



HANA-C

1200.-

DIA 80x230 mm. D 27 mm.



LED 1W 85lm



3000K

IP 54



Surface mounted type

Dark grey

LED Driver Included

ABS body

HANA-D

1800.-

DIA 230x80 mm. D 27 mm.



LED 3W 180lm



3000K

IP 54



Surface mounted type

Dark grey

LED Driver Included

ABS body



WALL LIGHT

The image features a 5x4 grid of squares. The top row consists of four squares with a light blue-to-white gradient. The second row consists of four squares with a light blue-to-white gradient. The third row consists of four squares with a medium blue-to-white gradient. The fourth row consists of four squares with a medium blue-to-white gradient. The bottom row consists of four squares with a dark blue-to-white gradient. The text 'UNDERWATER LIGHT' is written in white, bold, italicized capital letters in the bottom right corner of the grid.



***UNDERWATER
LIGHT***

RUW-3WW

3150.-

DIA 50 mm. H 56 mm.



 24Vdc 3W 264lm
 24° 3000K



IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1m.
Box size Dia 62mm. H 95mm.

RUW-10WW

4950.-

DIA 95 mm. H 80 mm.

 24Vdc 10W 912lm
 23° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1m.
Box size Dia 84mm. H 113mm.



UNDERWATER



RUW-6WW

4500.-

DIA 120 mm. H 64 mm.

 24Vdc 6W 528lm
 30° 3000K



IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1m.
Box size Dia 125mm. H 113mm.

RUW-9RGB

6000.-

DIA 120 mm. H 64 mm.

 24Vdc 3x3W 266lm
 40° RGB Color change

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Use with RGB controller
Wire 1m.
Box size Dia 125mm. H 113mm.



UNDERWATER



RUW-14WW

7000.-

DIA 150 mm. H 113 mm.



24Vdc 7x2W 812lm

30° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1.5m.
Box size Dia 150mm. H 113mm.

RUW-24WW

9500.-

DIA 180 mm. H 113 mm.



24Vdc 12x2W 1410lm

30° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1.5m.
Box size Dia 180mm. H 113mm.



UNDERWATER



SUW-3WW

3500.-

DIA 49.5 mm. H 50 mm.

 24Vdc 3W 264lm
 40° 3000K



IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1.5m.

SUW-7WW

4350.-

DIA 80 mm. H 97 mm.


 24Vdc 7W 616lm
 23° 3000K

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 24Vdc switching power supply
Wire 1.5m.




UNDERWATER



SUW015

4200.-

DIA 101 mm. H 123 mm.

 LED MR16x1
Use 12V only


IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 12Vdc switching power supply
Wire 3m.

SUB015

4050.-

DIA 75 mm. H 74 mm.

 LED MR16x1
Use 12V only

IP 68

- Stainless steel SUS316
Tempered glass cover
Use with 12Vdc switching power supply
Wire 3m.



UNDERWATER

A 5x4 grid of squares. The top row is white, and the bottom row is dark blue. The colors transition from white to dark blue from top to bottom and from left to right. The text 'STEP LIGHT' is located in the bottom right corner of the grid.



STEP LIGHT




STEP-OA

1200.-

DIA 110x110 mm. D 100 mm.

 G4x1 Max. 50W
 Sand black



IP 55

-  Recessed type
- Black
- Frosted glass cover
- Aluminium body
- Box installation included


STEP-OB

1200.-

DIA 110x110 mm. D 102 mm.

 G4x1 Max. 50W
 Sand black

IP 55



-  Recessed type
- Black
- Aluminium body
- Box installation included




STEP-OC

1200.-

DIA 110x110 mm. D 102 mm.

 G4x1 Max. 50W
 Sand black

IP 55

-  Recessed type
- Black
- Aluminium body
- Box installation included



STEP LIGHT




STEP-OD

1500.-

DIA 86 mm. D 55 mm.

 **LED 3W 190lm**
 3000K



IP 54

-  Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included


STEP-OE

1500.-

DIA 87x87 mm. D 55 mm.

 **LED 3W 190lm**
 3000K

IP 54



-  Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included




STEP-OF

1500.-

DIA 87x87 mm. D 55 mm.

 **LED 3W 190lm**
 3000K

IP 54

-  Recessed type
- Black/ White
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OK

1500.-

DIA 72x147 mm. D 55 mm.



LED 3W 200lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OL

1500.-

DIA 75x170 mm. D 53 mm.



LED 5W 370lm




3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OM

1000.-

DIA 65 mm. D 50 mm.



LED 3W 115lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-ON

1000.-

DIA 65 mm. D 50 mm.



LED 3W 185lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP-OP

1000.-

DIA 65x65 mm. D 70 mm.



LED 3W 145lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OS

2000.-

DIA 160x160 mm. D 63 mm.



LED 7W 475lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OT

1200.-

DIA 80x120 mm. D 50 mm.



LED 3W 200lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included





ROTTY-R

1050.-

DIA 80 mm. D 50 mm.



LED 3W 200lm



3000K

IP 54

- Recessed type
- Black/ Grey
- LED Driver Included
- Aluminium body
- Box installation included

ROTTY-S

1050.-

DIA 90x90 mm. D 55 mm.



LED 2W 135lm



3000K

IP 65

- Recessed type
- Black/ Grey
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



REEN

1000.-

DIA 85x85 mm. D 53 mm.



LED 2W 200lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

HASSEL

2000.-

DIA 50x130 mm. D 60 mm.



LED 5W 350lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



SHAY

1200.-

DIA 44x100 mm. D 44 mm.



LED 2W 175lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OJ

1000.-

DIA 60x105 mm. D 55 mm.



LED 3W 200lm


3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included





STEP LIGHT




GALLY-R

1000.-

DIA 110 mm. D 26 mm.

 **LED 2W 120lm**
 3000K

IP 54

-  Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body


GALLY-S

1000.-

DIA 100x100 mm. D 26 mm.

 **LED 2W 120lm**
 3000K

IP 54

-  Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body




STEP LIGHT




GALLY-SL

1200.-

DIA 60x150 mm. D 28 mm.

 **LED 3W 185lm**
 3000K

IP 54

-  Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body



STEP-R

1500.-

DIA 110 mm. D 25 mm.



LED 4W 160lm

3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

STEP-S

1500.-

DIA 105x105 mm. D 24 mm.



LED 4W 160lm

3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT



MONA-R

1200.-

DIA 95 mm. D 18 mm.



LED 3W 225lm

3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

MONA-S

1200.-

DIA 90x90 mm. D 18 mm.



LED 3W 225lm

3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT




HANA-A

1200.-

DIA 125x125 mm. D 27 mm.

 **LED 3W 250lm**
 3000K



IP 54

-  Surface mounted type
- Dark grey
- LED Driver Included
- ABS body


HANA-B

1200.-

DIA 125x125 mm. D 27 mm.

 **LED 1.5W 145lm**
 3000K

IP 54

-  Surface mounted type
- Dark grey
- LED Driver Included
- ABS body



STEP LIGHT



HANA-C

1200.-

DIA 80x230 mm. D 27 mm.



LED 1W 85lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body

HANA-D

1800.-

DIA 230x80 mm. D 27 mm.



LED 3W 180lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body



STEP LIGHT



JENNY

2000.-

DIA 115x115 mm. D 60 mm.



LED 2x2W 200lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

LINA

2000.-

DIA 75x192 mm. H 97 mm.




LED 5W 350lm

3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT



GLATO


2000.-

DIA 102x180 mm. D 92 mm.

1x GU10 MAX. 50W

IP 54

- Surface mounted type
- Black
- Aluminium body
- PC diffuser



GLENN


1350.-

DIA 68x140 mm. D 69 mm.

1x GU10 MAX. 50W

IP 54

- Surface mounted type
- Black
- Aluminium body
- Clear glass cover



STEP LIGHT



ARINA-A

2000.-

DIA 82x192 D 94 mm.



LED 10W 650lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

ARINA-B

2000.-

DIA 82x192 mm. D 101 mm.




LED 10W 650lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT

The image features a 5x4 grid of squares. The top row consists of four squares with a light blue-to-white gradient. The second row consists of four squares with a medium blue-to-white gradient. The third row consists of four squares with a medium blue-to-white gradient. The fourth row consists of four squares with a medium blue-to-white gradient. The bottom row consists of four squares with a dark blue-to-white gradient. The text 'INGROUND LIGHT' is written in white, bold, italicized capital letters across the bottom row of the grid.

INGROUND LIGHT




ING-R

1800.-

DIA 42 mm. H 63 mm.

 **CREE CHIP LED 3W 115lm**
   3000K 

- Aluminium Cover
- Recess Housing Included
- LED Driver 700mA Included
- Dimmable (0-10V/ Triac) Optional




ING-S


1800.-

DIA 42x42 mm. H 63 mm.

 **CREE CHIP LED 3W 115lm**
   3000K 

- Aluminium Cover
- Recess Housing Included
- LED Driver 700mA Included
- Dimmable (0-10V/ Triac) Optional





ING-50

2000.-

DIA 50 mm. H 40 mm.




- Stainless SUS 316 Cover
- Recess Housing Included
- Dimmable (0-10V/ Triac) Optional



ING-95

3800.-

DIA 95 mm. H 135 mm.




- Stainless SUS 316 Cover
- Recess Housing Included
- Dimmable (0-10V/ Triac) Optional



ING-120

5050.-

DIA 120 mm. H 145 mm.



- Stainless SUS 316 Cover
- Recess Housing Included
- Dimmable (0-10V/ Triac) Optional



MUSH-R1

1800.-

DIA 58.5 mm. H 58 mm.



CREE CHIP LED 3W 115lm



1-WAY LIGHT ● 3000K 24Vdc


IP 67



Aluminium Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



MUSH-R2

1800.-

DIA 58.5 mm. H 58 mm.



CREE CHIP LED 3W 115lm



2-WAY LIGHT ● 3000K 24Vdc


IP 67



Aluminium Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



MUSH-R4

1800.-

DIA 58.5 mm. H 58 mm.



CREE CHIP LED 3W 115lm



4-WAY LIGHT ● 3000K 24Vdc


IP 67



Aluminium Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



INGROUND LIGHT



ING-SRGB

2950.-

DIA 50 mm. H 80 mm.




EDISON LED 3W 130lm



RGB 24Vdc

IP 67

- Stainless SUS 316 Cover
- Recess Housing Included
- Use with RGB Controller



ING-CWW

3500.-

DIA 120 mm. H 94 mm.




CREE CHIP LED 3x2W 320lm



3000K 24Vdc

IP 67

- Stainless SUS 316 Cover
- Recess Housing Included
- Dimmable (0-10V/ Triac) Optional



ING-CRGB

5750.-

DIA 58.5 mm. H 58 mm.




EDISON LED RGB 3x3W 295lm



RGB 24Vdc

IP 67

- Stainless SUS 316 Cover
- Recess Housing Included
- Use with RGB Controller



www.speclight.co.th

INGROUND LIGHT



ING-RMR

1500.-

DIA 100 mm. H 105 mm.





1x MR16 MAX. 50W

IP 67



Stainless SUS 304 Cover
Recess Housing Included



ING-RGU

1500.-

DIA 100 mm. H 105 mm.





1x GU10 MAX. 50W

IP 67



Stainless SUS 304 Cover
Recess Housing Included





ING-SMR

1500.-


DIA 100x100 mm. H 105 mm.



1x MR16 MAX. 50W

IP 67

- Stainless SUS 304 Cover
Recess Housing Included



ING-SGU

1500.-


DIA 100x100 mm. H 105 mm.



1x GU10 MAX. 50W

IP 67

- Stainless SUS 304 Cover
Recess Housing Included



INGROUND LIGHT



ING-ADJ

2500.-

DIA 110 mm. H 147 mm.





1x GU10 MAX. 50W

IP 67

ADJUSTABLE



Stainless SUS 304 Cover
Recess Housing Included



ING-GX53

2000.-

DIA 120 mm. H 70 mm.





1x GX53 MAX. 50W

IP 67



Stainless SUS 304 Cover
Recess Housing Included



INGROUND LIGHT



RISE-R1

1800.-

DIA 65 mm. H 60 mm.



LED 3W 85lm



1-WAY LIGHT



3000K


IP 65



Aluminium Cover

Recess Housing Included

LED Driver Included



RISE-R2

1800.-

DIA 65 mm. H 60 mm.



LED 3W 85lm



2-WAY LIGHT



3000K


IP 65



Aluminium Cover

Recess Housing Included

LED Driver Included



INGROUND LIGHT

The image features a 5x4 grid of squares. The top row consists of four squares with a light blue-to-white gradient. The second row consists of four squares with a light blue-to-white gradient. The third row consists of four squares with a medium blue-to-white gradient. The fourth row consists of four squares with a medium blue-to-white gradient. The bottom row consists of four squares with a dark blue-to-white gradient. The text "BOLLARD LIGHT" is written in white, bold, italicized capital letters across the bottom row of the grid.

BOLLARD LIGHT



DALLTON-RS

2000.-

DIA 90 mm. H 200 mm.



LED 6W 490lm



3000K

IP 54

- Black
LED Driver Included
Aluminium body

DALLTON-RM

4000.-

DIA 90 mm. H 650 mm.



LED 6W 550lm



3000K

IP 54

- Black
LED Driver Included
Aluminium body



DALLTON-RL

4400.-

DIA 108 mm. H 600 mm.



LED 10W 955lm



3000K

IP 54

- Black
LED Driver Included
Aluminium body

BOLLARD LIGHT





DALLTON-S

2000.-

DIA 105x105 mm. H 195 mm.



LED 6W 490lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

DALLTON-M

4400.-

DIA 105x105 mm. H 600 mm.



LED 10W 890lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



DAVE

4950.-

DIA 80x120 mm. H 650 mm.



LED 6W 267lm



3000K

IP 54



Black

LED Driver Included
Aluminium body

MANCO

4400.-

DIA 71x131 mm. H 650 mm.



LED 3x3W 645lm



3000K

IP 54



Black

LED Driver Included
Aluminium body



BOLLARD LIGHT



STAND-1

4500.-

DIA 100x135 mm. H 650 mm.



LED 7W 560lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

STAND-2

5500.-

DIA 100x235 mm. H 650 mm.



LED 2x7W 1120lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



DAREN

4250.-

DIA 48x150 mm. H 600 mm.



LED 5W 160lm



3000K

IP 55



Black
LED Driver Included
Aluminium body

DAYSON

5000.-

DIA 140 mm. H 600 mm.



LED 7.2W 780lm



3000K

IP 65



Black
LED Driver Included
Aluminium body



BOLLARD LIGHT



LOOP

5000.-

DIA 53x160 mm. H 600 mm.



LED 10W 740lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

LAREN

4500.-

DIA 45x120 mm. H 650 mm.

LED 7W 290lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



ROBBY

5350.-

DIA 80x120 mm. H 650 mm.



LED 10W 515lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

HELEN

5150.-

DIA 55x160 mm. H 600 mm.



LED 6W 465lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



ESTER

4950.-

DIA 120x120 mm. H 600 mm.



LED 10W 655lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

DILAN

6000.-

DIA 118 mm. H 800 mm.



LED 10W 626lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



KORO-S

3950.-

DIA 180x180 mm. H 275 mm.



LED 12W 936lm

3000K

IP 54



Black

LED Driver Included

Aluminium body

KORO-M

5500.-

DIA 180x180 mm. H 800 mm.



LED 12W 936lm

3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



RAPPER-S

3500.-

DIA 180x180 mm. H 275 mm.



LED 12W 936lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body

RAPPER-M

5000.-

DIA 180x180 mm. H 800 mm.



LED 12W 936lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



BOLLARD LIGHT



DELTA

4800.-

DIA 130x130 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

DEEGAN

4400.-

DIA 140 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



DECON

4800.-

DIA 130x130 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DELCO

4400.-

DIA 140 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



DAGON-S

2500.-

DIA 100x100 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DAGON-R

2500.-

DIA 110 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



MONO

5000.-

DIA 45x100 mm. H 750 mm.



LED 12W 640lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

GIGA

3500.-

DIA 70x150 mm. H 800 mm.



1x GU10 Max. 50W

IP 54



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



MIGA

4950.-

DIA 120 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

POLY-S

3500.-

DIA 120 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CARLA-FS

4000.-

DIA 145x145 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

CARLA-FR

4000.-

DIA 160 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



LEON-R

1800.-

DIA 85 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

LEON-S

1800.-

DIA 85x85 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CONE

4000.-

DIA 158 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

LISA

3000.-

DIA 120x150 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



MAY

5000.-

DIA 55x160 mm. H 600 mm.



LED 7W 620lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

JIRO

5150.-

DIA 80x120 mm. H 650 mm.



LED 10W 755lm



3000K

IP 65




Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



JEDI

4500.-

DIA 95x150 mm. H 700 mm.



LED 12W 470lm



3000K

IP 54



Black

LED Driver Included
Aluminium body

MARON

5200.-

DIA 120 mm. H 600 mm.



LED 12W 455lm



3000K

IP 54



Black

LED Driver Included
Aluminium body



BOLLARD LIGHT



TON

5000.-

DIA 160 mm. H 650 mm.



LED 10W 447lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

ELVA

4000.-

DIA 120 mm. H 1200 mm.



2x T8 Max. 60W

IP 65



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



ARDEN-R

4150.-

DIA 90 mm. H 650 mm.



LED 9W 455lm



3000K

IP 65

- Black
Aluminium body
PC Diffuser

ARDEN-S

4150.-

DIA 85x85 mm. H 650 mm.



LED 9W 455lm



3000K

IP 65

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CURVE

4000.-

DIA 120 mm. H 650 mm.



LED 10W 348lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

PRAYA

5000.-

DIA 146 mm. H 600 mm.



LED 8W 780lm



3000K

IP 65



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



MARCA

5000.-

DIA 120 mm. H 630 mm.



LED 7.2W 626lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

DONE

3500.-

DIA 65x390 mm. H 800 mm.



1x E27 Max. 60W

IP 54



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



CHER

3500.-

DIA 30 mm. H 600 mm.



LED 5W 450lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

JAY

3500.-

DIA 70x120 mm. H 300 mm.



LED 7W 520lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



HOME-S

2500.-

DIA 178 mm. H 510 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

HOME-M

2750.-

DIA 178 mm. H 790 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



FLAME-S

2500.-

DIA 240 mm. H 520 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

FLAME-M

2750.-

DIA 240 mm. H 780 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



ZELL-FR

4250.-

DIA 160 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

ZELL-FS

4250.-

DIA 145x145 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



DEVIN-S

2100.-

DIA 160x160 mm. H 190 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DEVIN-M

2800.-

DIA 220x220 mm. H 270 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CARLA-S

2200.-

DIA 145x145 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

CARLA-R

2200.-

DIA 160 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



SAMMY-S

2500.-

DIA 170x170 mm. H 210 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

SAMMY-M

3000.-

DIA 227x227 mm. H 255 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



RINA-R

3000.-

DIA 150 mm. H 140 mm.



LED 7W 392lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

RINA-S

3000.-

DIA 156x156 mm. H 140 mm.



LED 7W 392lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



PARRY

2800.-

DIA 130 mm. H 170 mm.



LED 12W 570lm

3000K

IP 65

- Black
LED Driver Included
Aluminium body

LORA

2150.-

DIA 194x194 mm. H 265 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



GAMMA

1500.-

DIA 120x120 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

BOLLARD LIGHT



LEON-XR

1500.-

DIA 85 mm. H 300 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

LEON-XS

1500.-

DIA 85x85 mm. H 300 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



ZELL-BR

2750.-

DIA 160 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

ZELL-BS

2750.-

DIA 145x145 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



SEVEN

27500.-

DIA 80x120x800 mm. H 3000 mm.



LED 30W 2717lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

J-bolt included

STAR

18500.-

DIA 365 mm. H 2500 mm.



LED 30W 2087lm



3000K

IP 65



Black

Aluminium body

PC Diffuser

J-bolt included



BOLLARD LIGHT



ZINO-R

22500.-

DIA 160 mm. H 3000 mm.



LED 25W 2025lm

3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- J-bolt included

RANCE

21000.-

DIA 160 mm. H 3000 mm.



3x T8 Max. 100W

IP 65

- Black
- Aluminium body
- PC Diffuser
- J-bolt included



BOLLARD LIGHT

A 5x4 grid of squares with a blue-to-white gradient. The top row is the lightest blue, and the bottom row is the darkest blue. The word "SPOTLIGHT" is written in white, bold, italicized capital letters in the bottom right corner.

SPOTLIGHT



SPOT-S

2000.-

DIA 42 mm. H 96 mm.



220V 3W 130lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

Accessories : Tree strap

KYLER

2000.-

DIA 105 mm. H 185 mm.



220V 12W 950lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover



SPOTLIGHT




EMMA-S

1150.-

DIA 47 mm. H 84 mm.

 220V 5W 435lm
 24° 3000K



IP 65

-  Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap


EMMA-M

1750.-

DIA 60 mm. H 105 mm.

 220V 12W 996lm
 24° 3000K

IP 65



-  Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap




EMMA-L

2300.-

DIA 80 mm. H 135 mm.

 220V 18W 1494lm
 24° 3000K

IP 65

-  Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

SPOTLIGHT





ALLEN-S

2250.-

DIA 63x109 mm. H 143 mm.

 220V 10W 810lm
 36° 3000K



IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

ALLEN-M

2850.-

DIA 80x180 mm. H 162 mm.

 220V 15W 1215lm
 36° 3000K

IP 65



- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



ALLEN-L

3250.-

DIA 80x180 mm. H 162 mm.

 220V 20W 1620lm
 36° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

SPOTLIGHT



KEELAN-S

3500.-

DIA 67 mm. H 175 mm.

 220V 7W 588lm
 23° 3000K



IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

KEELAN-M

4350.-

DIA 80 mm. H 205 mm.

 220V 13W 1170lm
 23° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



SPOTLIGHT



DOLO

2500.-

DIA 80x80 mm. H 58 mm.



220V 8W 588lm



3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

KURTIS

1950.-

DIA 80x80 mm. H 70 mm.



220V 6W 480lm

55° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



PINTA-S

2750.-

DIA 66x72 mm. H 93 mm.



24Vdc 9W 639lm

15° 30° 45° 60°

IP 66

3000K, 4000K, 6000K

- Black/ Grey
- LED Driver Included
- Aluminium body
- Clear glass cover
- Use with switching power supply 24Vdc
- Accessories : Tree strap

PINTA-M

4750.-

DIA 114x116 mm. H 157 mm.



24Vdc 20W 1420lm

15° 30° 45° 60°

IP 66

3000K, 4000K, 6000K

- Black/ Grey
- LED Driver Included
- Aluminium body
- Clear glass cover
- Use with switching power supply 24Vdc
- Accessories : Tree strap



PINTA-L

6750.-

DIA 112x150 mm. H 208 mm.



24Vdc 36W 2556lm

15° 30° 45° 60°

IP 66

3000K, 4000K, 6000K

- Black/ Grey
- LED Driver Included
- Aluminium body
- Clear glass cover
- Use with switching power supply 24Vdc
- Accessories : Tree strap

SPOTLIGHT



COOPER-S

3800.-

DIA 91x91 mm. H 135 mm.

 220V 10W 782lm
 25° 3000K



IP 66

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

COOPER-M

7500.-

DIA 158x158 mm. H 212 mm.

 220V 24W 2263lm
 25° 3000K

IP 66

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



POLO-S

3000.-

DIA 65x65 mm. H 125 mm.

 220V 8W 615lm
 30° 3000K



IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

POLO-M

4250.-

DIA 90x90 mm. H 145 mm.

 220V 18W 1306lm
 30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT

KERRI-B-MR16

1100.-

DIA 58 mm. H 92 mm.



MR16 x1 Max. 50W
12V/ 220V

IP 54



- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap, Honeycomb

KERRI-B-GU10

1100.-

DIA 58 mm. H 92 mm.



GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap, Honeycomb



SPOTLIGHT



KERRI-S-MR16

1100.-

DIA 58 mm. H 92 mm.



MR16 x1 Max. 50W
12V/ 220V

IP 54



Black
Aluminium body
Clear glass cover
Accessories : Honeycomb

KERRI-S-GU10

1100.-

DIA 58 mm. H 92 mm.



GU10x1 Max. 50W
220V

IP 54



Black
Aluminium body
Clear glass cover
Accessories : Honeycomb




SPOTLIGHT

CHERYL-B-MR16

1200.-

DIA 58 mm. H 175 mm.

 MR16 x1 Max. 50W
12V/ 220V

IP 54


- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap, Honeycomb



CHERYL-B-GU10

1200.-

DIA 58 mm. H 175 mm.

 GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap, Honeycomb



SPOTLIGHT



CHERYL-S-MR16

1200.-

DIA 58 mm. H 175 mm.



MR16 x1 Max. 50W
12V/ 220V

IP 54



Black
Aluminium body
Clear glass cover
Accessories : Honeycomb

CHERYL-S-GU10

1200.-

DIA 58 mm. H 175 mm.



GU10x1 Max. 50W
220V

IP 54



Black
Aluminium body
Clear glass cover
Accessories : Honeycomb



SPOTLIGHT



KIRA

1350.-

DIA 73x73 mm. H 135 mm.



GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

SONIC

1650.-

DIA 65 mm. H 160 mm.



GU10x1 Max. 50W
220V

IP 65

- Black
- Aluminium body
- Clear glass cover




SPOTLIGHT



MELO-B

1350.-

DIA 70 mm. H 125 mm.

 GU10x1 Max. 50W
220V


IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

MELO-S

1350.-

DIA 70 mm. H 125 mm.

 GU10x1 Max. 50W
220V

IP 54

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



ALLEN-MR16

1850.-

DIA 63x109 mm. H 143 mm.



MR16x1 Max. 50W
12V/ 220V

IP 65



Black
Aluminium body
Clear glass cover
Accessories : Tree strap

ALLEN-GU10

1850.-

DIA 63x109 mm. H 143 mm.



GU10x1 Max. 50W
220V

IP 65



Black
Aluminium body
Clear glass cover
Accessories : Tree strap




SPOTLIGHT

MANNY-MR16


1000.-



DIA 60 mm. H 85 mm. 115 mm. with anti glare

 MR16 x1 Max. 50W
12V/ 220V


IP 54

 Black
Aluminium body
Clear glass cover


MANNY-GU10

1000.-

DIA 60 mm. H 85 mm. 115 mm. with anti glare

 GU10x1 Max. 50W
220V

IP 54

 Black
Aluminium body
Clear glass cover



SPOTLIGHT



IDA

700.-

DIA 98 mm. H 93 mm.



GU10x1 Max. 50W
220V

IP 55



Black
Aluminium body
Clear glass cover
Accessories : Tree strap

IVY

700.-

DIA 98 mm. H 128 mm.



GU10x1 Max. 50W
220V

IP 55



Black
Aluminium body
Clear glass cover
Accessories : Tree strap




SPOTLIGHT




LACEY

1000.-

DIA 90 mm. H 150 mm.

 GU10x1 Max. 50W
220V


IP 55

 Black
Aluminium body
Clear glass cover


LADA

1600.-

DIA 110 mm. H 185 mm.

 E27 PAR20x1 Max. 50W
220V

IP 55

 Black
Aluminium body
Clear glass cover



SPOTLIGHT



TRAM-18

5000.-

DIA 43x50 mm. L 1000 mm.



24V 18x1W 1802lm

7° 25° 40° 10°x50°

IP 66



3000K/ 4000K/ 6000K

Grey

Use with switching power supply 24Vdc

Aluminium body

Clear glass cover

TRAM-36

6000.-

DIA 43x50 mm. L 1000 mm.



220V 36x1W 3587lm

7° 25° 40° 10°x50°

IP 66



3000K/ 4000K/ 6000K

Grey

Use with switching power supply 24Vdc

Aluminium body

Clear glass cover



WALL WASHER



10°x40°

FLEX

12000.-

DIA : 320 x 32 x 65 mm. (Per 3Modules)

LED 24V 15W (5W per module)
10°x40° 3000K

IP 54

Black
Aluminium body

FLOW

15000.-

DIA : 523 x 76 x 102 mm. (Per 3Modules)

LED 24V 18W (6W per module)
15°x45° 3000K

IP 66

Black
Aluminium body



15°x45°

FITT


12000.-

DIA : 1200 X Ø37.5 X 55 mm.

LED 24V 45W
20°x40° 3000K

IP 66

Black
Aluminium body



20°x40°

SPOTLIGHT