

The image features a 4x4 grid of 16 squares. The colors transition from light yellow in the top-left corner to bright red in the bottom-right corner, following a diagonal gradient. The text 'BOLLARD LIGHT' is centered in the middle of the grid.

***BOLLARD LIGHT***

## DALLTON-S

2000.-

DIA 105x105 mm. H 195 mm.



LED 6W 490lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

## DALLTON-M

4400.-

DIA 105x105 mm. H 600 mm.



LED 10W 890lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



## DALLTON-RM

4000.-

DIA 90 mm. H 650 mm.



LED 6W 550lm



3000K

IP 54

- Black  
LED Driver Included  
Aluminium body

## DALLTON-L

4400.-

DIA 85x85 mm. H 650 mm.



LED 10W 605lm



3000K

IP 65

- Black  
LED Driver Included  
Aluminium body



BOLLARD LIGHT

## DALLTON-RS

2000.-

DIA 90 mm. H 200 mm.



LED 6W 490lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

## DALLTON-RL

4400.-

DIA 108 mm. H 600 mm.



LED 10W 955lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



## DAREN

4250.-

DIA 48x150 mm. H 600 mm.



LED 5W 160lm



3000K

IP 55



Black

LED Driver Included  
Aluminium body

## DAYSON

5000.-

DIA 140 mm. H 600 mm.



LED 7.2W 780lm



3000K

IP 65



Black

LED Driver Included  
Aluminium body



BOLLARD LIGHT



## LOOP

5000.-

DIA 53x160 mm. H 600 mm.



LED 10W 740lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

## LAREN

4500.-

DIA 45x120 mm. H 650 mm.

LED 7W 290lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



## ROBBY

5350.-

DIA 80x120 mm. H 650 mm.



LED 10W 515lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

## HELEN

5150.-

DIA 55x160 mm. H 600 mm.



LED 6W 465lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



## DAVE

4950.-

DIA 80x120 mm. H 650 mm.



LED 6W 267lm



3000K

IP 54



Black

LED Driver Included  
Aluminium body

## MANCO

4400.-

DIA 71x131 mm. H 650 mm.



LED 3x3W 645lm



3000K

IP 54



Black

LED Driver Included  
Aluminium body



BOLLARD LIGHT





## ESTER

4950.-

DIA 120x120 mm. H 600 mm.



LED 10W 655lm

3000K

IP 54

- Black  
LED Driver Included  
Aluminium body

## DILAN

6000.-

DIA 118 mm. H 800 mm.



LED 10W 626lm

3000K

IP 65

- Black  
LED Driver Included  
Aluminium body



BOLLARD LIGHT



## MONO

5000.-

DIA 45x100 mm. H 750 mm.



LED 12W 640lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

## GIGA

3500.-

DIA 70x150 mm. H 800 mm.



1x GU10 Max. 50W

IP 54



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



## STAND-1

4500.-

DIA 100x135 mm. H 650 mm.



LED 7W 560lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

## STAND-2

5500.-

DIA 100x235 mm. H 650 mm.



LED 2x7W 1120lm



3000K

IP 65




Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



## JEDI

4500.-

DIA 95x150 mm. H 700 mm.



LED 12W 470lm



3000K

IP 54



Black

LED Driver Included  
Aluminium body

## MARON

5200.-

DIA 120 mm. H 600 mm.



LED 12W 455lm



3000K

IP 54



Black

LED Driver Included  
Aluminium body



BOLLARD LIGHT



**MAY**

**5000.-**

DIA 55x160 mm. H 600 mm.



**LED 7W 620lm**



3000K

**IP 54**



Black

LED Driver Included

Aluminium body

**JIRO**

**5150.-**

DIA 80x120 mm. H 650 mm.



**LED 10W 755lm**



3000K

**IP 65**



Black

LED Driver Included

Aluminium body



**BOLLARD LIGHT**



## FLAME-S

2500.-

DIA 240 mm. H 520 mm.



LED 12W 936lm



3000K

IP 54



Black  
LED Driver Included  
Aluminium body

## FLAME-M

2750.-

DIA 240 mm. H 780 mm.



LED 12W 936lm



3000K

IP 54



Black  
LED Driver Included  
Aluminium body



BOLLARD LIGHT



## HOME-S

2500.-

DIA 178 mm. H 510 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

## HOME-M

2750.-

DIA 178 mm. H 790 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



**CHER**

**3500.-**

DIA 30 mm. H 600 mm.



**LED 7W 495lm**



3000K

**IP 54**



Black

LED Driver Included

Aluminium body

**JAY**

**3500.-**

DIA 70x120 mm. H 300 mm.



**LED 7W 520lm**



3000K

**IP 54**



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT





## MELVIN

4000.-

DIA 108 mm. H 600 mm.



LED 7W 565lm



3000K

IP 65

- Black  
Aluminium body  
PC Diffuser

## SILVA

4500.-

DIA 40x90 mm. H 600 mm.



LED 7W 585lm



3000K

IP 65

- Black/ Silver  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



## CURVE

4000.-

DIA 120 mm. H 650 mm.



LED 10W 348lm



3000K

IP 65



Black

LED Driver Included  
Aluminium body

## PRAYA

5000.-

DIA 146 mm. H 600 mm.



LED 8W 780lm



3000K

IP 65



Black

Aluminium body  
PC Diffuser



BOLLARD LIGHT



## PARRY

2800.-

DIA 130 mm. H 170 mm.



LED 12W 570lm



3000K

IP 65

- Black  
LED Driver Included  
Aluminium body

## RONAN

3500.-

DIA 50 mm. H 500 mm.



LED 3W 245lm



3000K

IP 65

- Black/ Silver  
Aluminium body



BOLLARD LIGHT



## DELTA

4800.-

DIA 130x130 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

## DEEGAN

4400.-

DIA 140 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



## DECON

4800.-

DIA 130x130 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## DELCO

4400.-

DIA 140 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



## DAGON-S

2500.-

DIA 100x100 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## DAGON-R

2500.-

DIA 110 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



## CARLA-FS

4000.-

DIA 145x145 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

## CARLA-FR

4000.-

DIA 160 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



## LEON-R

1800.-

DIA 85 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## LEON-S

1800.-

DIA 85x85 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT





## CONE

4000.-

DIA 158 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## LISA

3000.-

DIA 120x150 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



## MIGA

4950.-

DIA 120 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## POLY-S

3500.-

DIA 120 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



**MARCA**

**5000.-**

DIA 120 mm. H 630 mm.



**LED 7.2W 626lm**



3000K

**IP 65**



Black

LED Driver Included  
Aluminium body

**DONE**

**3500.-**

DIA 65x390 mm. H 800 mm.



**1x E27 Max. 60W**

**IP 54**



Black

Aluminium body  
PC Diffuser



**BOLLARD LIGHT**



## LEON-XR

1500.-

DIA 85 mm. H 300 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## LEON-XS

1500.-

DIA 85x85 mm. H 300 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



## ARDEN-R

4150.-

DIA 90 mm. H 650 mm.



LED 9W 455lm



3000K

IP 65



Black

Aluminium body

PC Diffuser

## ARDEN-S

4150.-

DIA 85x85 mm. H 650 mm.



LED 9W 455lm



3000K

IP 65



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



## KORO-S

3950.-

DIA 180x180 mm. H 275 mm.



LED 12W 936lm

3000K

IP 54



Black

LED Driver Included  
Aluminium body

## KORO-M

5500.-

DIA 180x180 mm. H 800 mm.



LED 12W 936lm

3000K

IP 54



Black

LED Driver Included  
Aluminium body



BOLLARD LIGHT



## RAPPER-S

3500.-

DIA 180x180 mm. H 275 mm.



LED 12W 936lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body

## RAPPER-M

5000.-

DIA 180x180 mm. H 800 mm.



LED 12W 936lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



BOLLARD LIGHT

## LORA

2150.-

DIA 194x194 mm. H 265 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## GAMMA

1500.-

DIA 120x120 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser







**TON**

**5000.-**

DIA 160 mm. H 650 mm.



**LED 10W 447lm**

3000K

**IP 65**

- Black  
LED Driver Included  
Aluminium body

**ELVA**

**4000.-**

DIA 120 mm. H 1200 mm.



**2x T8 Max. 60W**

**IP 65**

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



## DEVIN-S

2100.-

DIA 160x160 mm. H 190 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## DEVIN-M

2800.-

DIA 220x220 mm. H 270 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



## SAMMY-S

2500.-

DIA 170x170 mm. H 210 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## SAMMY-M

3000.-

DIA 227x227 mm. H 255 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



## RINA-R

3000.-

DIA 150 mm. H 140 mm.



LED 7W 392lm



3000K

IP 54

- Black
- LED Driver Included
- Aluminium body

## RINA-S

3000.-

DIA 156x156 mm. H 140 mm.



LED 7W 392lm



3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



BOLLARD LIGHT



## CARLA-S

2200.-

DIA 145x145 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## CARLA-R

2200.-

DIA 160 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



## TINA-R

1500.-

DIA 160 mm. H 130 mm.



LED15W 1050lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

## TINA-S

1500.-

DIA 155x155 mm. H 150 mm.



LED15W 1050lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



## DERBY

3950.-

DIA 215 mm. H 240 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser

## BOSTON

3000.-

DIA 145x145 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT

**NEW**



**NOAH**

**3000.-**

DIA 150x150 mm. H 175 mm.



**1x E27 Max. 60W**

**IP 54**

- Black  
Aluminium body  
PC Diffuser

**SIENA**

**3500.-**

DIA 150x150 mm. H 300 mm.



**1x E27 Max. 60W**

**IP 54**

- Black  
Aluminium body  
PC Diffuser

**NEW**



BOLLARD LIGHT





**ZELL-BR**

**2750.-**

DIA 160 mm. H 220 mm.



**1x E27 Max. 60W**

**IP 54**

- Black  
Aluminium body  
PC Diffuser

**ZELL-BS**

**2750.-**

DIA 145x145 mm. H 220 mm.



**1x E27 Max. 60W**

**IP 54**

- Black  
Aluminium body  
PC Diffuser



BOLLARD LIGHT



**ZELL-FR**

**4250.-**

DIA 160 mm. H 500 mm.



**1x E27 Max. 60W**

**IP 54**

- Black
- Aluminium body
- PC Diffuser

**ZELL-FS**

**4250.-**

DIA 145x145 mm. H 500 mm.



**1x E27 Max. 60W**

**IP 54**

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



## ZINO-R

22500.-

DIA 160 mm. H 3000 mm.



**LED 25W 2025lm**



3000K

**IP 65**

- Black  
LED Driver Included  
Aluminium body  
J-bolt included

## RANCE

21000.-

DIA 160 mm. H 3000 mm.



**3x T8 Max. 100W**

**IP 65**

- Black  
Aluminium body  
PC Diffuser  
J-bolt included



BOLLARD LIGHT



## SEVEN

27500.-

DIA 80x120x800 mm. H 3000 mm.



LED 30W 2717lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

J-bolt included

## STAR

18500.-

DIA 365 mm. H 2500 mm.



LED 30W 2087lm



3000K

IP 65



Black

Aluminium body

PC Diffuser

J-bolt included



BOLLARD LIGHT

The background consists of a 4x4 grid of 16 squares. The colors transition from light yellow in the top-left corner to bright red in the bottom-right corner, following a diagonal gradient. The text is centered horizontally and vertically within the grid.

**OUTDOOR  
WALL LIGHT**



## YORK-R1

1150.-


DIA 90 mm. H 170 mm.



1x E27 MAX. LED 13W

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



## YORK-R2

1350.-


DIA 90 mm. H 280 mm.



2x E27 MAX. LED 13W

IP 65

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



## YORK-S1

1150.-


DIA 90x90 mm. H 190 mm.



1x E27 MAX. LED 13W

**IP 65**

- ● Black / Grey
- Aluminium body
- Clear glass cover



## YORK-S2

1350.-


DIA 90x90 mm. H 280 mm.



2x E27 MAX. LED 13W

**IP 65**

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



## ALYN-R1

1150.-

DIA 90 mm. H 133 mm.




1x GU10 MAX. 50W

IP 65

● ● Black / Grey

Aluminium body

Clear glass cover



## ALYN-R2

1350.-

DIA 90 mm. H 166 mm.




2x GU10 MAX. 50W

IP 65

● ● Black / Grey

Aluminium body

Clear glass cover



WALL LIGHT





## ALYN-S1

1150.-

DIA 87x87 mm. H 130 mm.




1x GU10 MAX. 50W

IP 65

● ● Black / Grey

Aluminium body

Clear glass cover



## ALYN-S2

1350.-

DIA 87x87 mm. H 160 mm.




2x GU10 MAX. 50W

IP 65

● ● Black / Grey

Aluminium body

Clear glass cover



WALL LIGHT



## WATT-S1

800.-


DIA 81x68 mm. D 92 mm.



1x GU10 MAX. 50W

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



## WATT-S2

1000.-


DIA 68x150 mm. D 92 mm.



2x GU10 MAX. 50W

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT



## FENIX-S1

1500.-

DIA 100x150 mm. D 100 mm.




1x GU10 MAX. 50W

IP 54



Black

Aluminium body



## FENIX-S2

1800.-

DIA 100x230 mm. D 1000 mm.




2x GU10 MAX. 50W

IP 54



Black

Aluminium body



WALL LIGHT



## MIND

1200.-

DIA 100 mm. H 90 mm.



1x GU10 MAX. 50W


IP 54



Black

Aluminium body

Clear glass cover



## PACO

1000.-

DIA 95x65 mm. H 95 mm.



1x GU10 MAX. 50W


IP 54



Black

Aluminium body

Clear glass cover



WALL LIGHT




## MABEL-R2

2000.-

DIA 120x115 mm. D 90 mm.

LED 2x3W  
3000K IP 54

- Black  
LED Driver Included  
Aluminium body





## MABEL-R4

2250.-

DIA 120 mm. D 90 mm.

LED 4x1W  
3000K IP 54

- Black  
LED Driver Included  
Aluminium body



WALL LIGHT



## SAGA

2500.-

DIA 109x173 mm. D 63 mm.



LED 2x3W 270lm



3000K

IP 54




Black / Grey

LED Driver Included

Aluminium body

Clear glass cover



## WEE

3000.-

DIA 44x125 mm. D 90 mm.



LED 2x3W 270lm



3000K

IP 54




Black

LED Driver Included

Aluminium body

Clear glass cover



WALL LIGHT



## TALA-S1

2000.-

W 30x60 mm. D 85 mm.



LED 1x3W 165lm

3000K


IP 65



Black

LED Driver Included

Aluminium body



## TALA-S2

2400.-

DIA 60x30 mm. D 85 mm.



LED 2x1W 2x85lm

3000K



IP 65



Black

LED Driver Included

Aluminium body



WALL LIGHT



## WEBB-G9

1200.-

DIA 90x95 mm. D 90 mm.



1x G9 MAX. 40W


IP 54



Black / Grey

Aluminium body

Clear glass cover



## TAG-2S

3250.-

DIA 100x136 mm. D 56 mm.



LED 2x6W 2x270lm



3000K


IP 65



Black / Grey

LED Driver Included

Aluminium body



WALL LIGHT






## RAMON


3000.-

DIA 95x100 mm. D 60 mm.

 LED 3x1W 368lm

 3000K **IP 65**


- Black
- LED Driver Included
- Aluminium body
- Clear glass cover




## VERON


2000.-

DIA 65x88 mm. D 40 mm.

 LED 1x3W 270lm

 3000K **IP 54**

- ● Black / Grey
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT



**VEGA** **2400.-**

DIA 110x250 mm. D 103 mm.



1x E27 MAX. LED 13W


**IP 54**



Black / Grey

Aluminium body

PC diffuser



**FOX** **2400.-**

DIA 100x250 mm. D 110 mm.



1x E27 MAX. LED 13W



**IP 54**



Black

Aluminium body

PC diffuser



**VICK** **1800.-**

W 110x280 mm. D 85 mm.



1x E27 MAX. LED 13W


**IP 54**



Black

Aluminium body

PC diffuser



WALL LIGHT



**SCOTT** **2150.-**

DIA 45x120 mm. D 145 mm.




**LED 6W 268lm**



3000K


**IP 54**



Black

LED Driver Included

Aluminium body



**SAM** **2000.-**

DIA 100x100 mm. D 100 mm.



**LED 2x3W 430lm**



3000K



**IP 65**



Black

LED Driver Included

Aluminium body



100



100

100

WALL LIGHT



## REXTON

1850.-


DIA 110x250 mm. D 103 mm.



1x E27 MAX. LED 13W

IP 54

- ● Black / Grey
- Aluminium body
- PC diffuser



## RENZO

1800.-


DIA 165x165 mm. D 171 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



## ROMA

1650.-

DIA 145x275 mm. D 102 mm.



1x E27 MAX. LED 13W


IP 54



Black

Aluminium body

PC diffuser



## RAMSEY

1800.-

DIA 110x281 mm. D 84 mm.



1x E27 MAX. LED 13W


IP 54



Black

Aluminium body

Frosted glass diffuser



WALL LIGHT



## ROCCO

1800.-

DIA 120x245 mm. D 80 mm.



1x E27 MAX. LED 13W


IP 54



Black

Aluminium body

PC diffuser



## RIO

1500.-

DIA 120x350 mm. D 120 mm.




1x E27 MAX. LED 13W



Black

Aluminium body

PC diffuser



WALL LIGHT



## RITA

1500.-


DIA 185x285 mm. D 100 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



## RISTON

1500.-


DIA 185x280 mm. D 100 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



## RANDI

1500.-

DIA 120x249 mm. H 135 mm.



2x E27 MAX. LED 13W



IP 54



Black

Aluminium body

PC diffuser



## HALLY

1600.-

DIA 70x170 mm D 190 mm.



1x E27 MAX. LED 13W



IP 54



Black

Aluminium body

Frosted glass diffuser



WALL LIGHT





## EVA

2000.-

DIA 80x105 mm. D 100 mm.



LED 5W 400lm

3000K


IP 54



Black

LED Driver Included

Aluminium body



## KENNA

2500.-

DIA 90x220 mm. D 80 mm.



LED 6W 375lm

3000K



IP 54



Black

LED Driver Included

Aluminium body



WALL LIGHT



## ELLY-1

2000.-

DIA 68x100 mm. D 78 mm.




LED 6W 490lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



## ELLY-2

3500.-

DIA 68x160 mm. D 78 mm.




LED 2x6W 2x490lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT



## REBEL

2500.-


DIA 80x160 mm. D 70 mm.

LED 6W 600lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body
- Adjustable angle



## RIVA

2000.-


DIA 100x240 mm. D 155 mm.

LED 6W 600lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



## JANIS-R

2000.-

DIA 160 mm. D 100 mm.



LED 10W 560lm



3000K


IP 54



Black

LED Driver Included

Aluminium body



## JANIS-S

2000.-

DIA 160x160 mm. D 100 mm.



LED 10W 560lm



3000K


IP 54



Black

LED Driver Included

Aluminium body



WALL LIGHT



## RODIO

1200.-

DIA 60\*170 mm. D 88 mm.



1x GU10 MAX. 50W

IP 54

- Black
- Aluminium body
- Glass cover

## LINA

2000.-

DIA 75x192 mm. D 97 mm.




LED 10W 650lm



3000K

IP 54

- Black
- Aluminium body
- Clear glass cover



WALL LIGHT




**PIMM** **3500.-**

DIA 180 mm. D 60 mm.

LED 12W 455lm  
3000K **IP 54**

● Black  
Aluminium body




**ZEAL** **1500.-**

DIA 150x180 mm. D 83 mm.

LED 12W 880lm  
3000K **IP 54**

● Black  
Aluminium body  
PC diffuser





## GLATO

2000.-

DIA 102x180 mm. D 92 mm.



1x GU10 MAX. 50W


IP 54



Black

Aluminium body

PC diffuser



## GLENN

1350.-

DIA 68x140 mm. D 69 mm.



1x GU10 MAX. 50W


IP 54



Black

Aluminium body

Clear glass cover





## WATT-R1

800.-


DIA 65x78 mm. D 95 mm.



1x GU10 MAX. 50W

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



## WATT-R2

1000.-


DIA 65x145 mm. D 95 mm.



2x GU10 MAX. 50W

IP 54

- ● Black / Grey
- Aluminium body
- Clear glass cover



WALL LIGHT





## JACEY-R

1800.-


DIA 275 mm. D 80 mm.



2x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



## JACEY-S

1800.-


DIA 270x270 mm D 80 mm.




2x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT



## LEON-WR

1350.-

DIA 85x162 mm. D 120 mm.



1x E27 MAX. LED 13W

IP 54



Black  
Aluminium body  
PC diffuser

## LEON-WS

1350.-

DIA 85x85x162 mm D 120 mm.



1x E27 MAX. LED 13W

IP 54



Black  
Aluminium body  
PC diffuser



WALL LIGHT



**KELL**

**800.-**

DIA 163x282 mm. D 109 mm.



1x E27 MAX. LED 13W

**IP 54**

- Black/ White  
PC body  
Frosted glass diffuser

**NANA**

**1500.-**

DIA 90x220 mm. D 80 mm.



1x E27 MAX. LED 13W

**IP 54**

- Black  
Aluminium body  
PC diffuser



WALL LIGHT



## MAKI-S1

1150.-

DIA 85×85 mm. H: 136 mm.



1x GU10 MAX. 50W



Black

Aluminium body

PC diffuser

## MAKI-S2

1650.-

DIA 85×85 mm. H 212 mm.



2x GU10 MAX. 50W

IP 54



Black

Aluminium body

PC diffuser



WALL LIGHT



## MAKI-R1

1150.-

DIA 90 mm. H 136 mm.



1x GU10 MAX. 50W

IP 54



- Black
- Aluminium body
- PC diffuser

## MAKI-R2

1650 .-

DIA 90 mm. H 212 mm.





2x GU10 MAX. 50W

IP 54

- Black
- Aluminium body
- PC diffuser



WALL LIGHT




## PRIVE

1800.-

DIA 190 mm. D 82.5 mm.

 LED 10W 499lm

 3000K **IP 54**


- Black
- LED Driver Included
- Aluminium body
- Clear glass cover

## GRACE


2750.-

DIA 145x240 mm. D 100 mm.

 LED 12W 1080lm

 3000K **IP 54**


- Black
- LED Driver Included
- Aluminium body
- Clear glass cover



WALL LIGHT



**NEW**



## CAMEO

1800.-

DIA 120x220 mm. D 120 mm.



1x E27 MAX. LED 13W

IP 54



Black  
Iron body  
Clear glass diffuser

## DIOR

1800.-

DIA 170x322 mm. D 182 mm.




1x E27 MAX. LED 13W

IP 54



Black  
Iron body  
Clear glass diffuser



WALL LIGHT



## TOLL-R

2750.-

DIA 160x276 mm. D 215 mm.



1x E27 MAX. LED 13W

IP 54

- Black/ White
- Aluminium body
- PC diffuser

## TOLL-S

2750.-

DIA 145x145x276 mm. D 215 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- PC diffuser



## CATT

2750.-

DIA 90x90x200 mm. D 125 mm.



LED 9W 455lm


3000K

IP 54

- Black
- Aluminium body
- PC diffuser

WALL LIGHT



**CARTER****2000.-**

DIA 143x320 mm. D 186 mm.

**1x E27 MAX. LED 13W****IP 54**

Black  
Aluminium body  
Clear glass diffuser

**ELLI****1800.-**

DIA 130x130 mm D 300 mm.

**1x E27 MAX. LED 13W****IP 54**

Black  
Aluminium body  
Clear glass diffuser





## MARTIN

3500.-

DIA 170x170 mm. H 330 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- Semi clear glass diffuser

## BERLIN

3000.-

DIA 200 mm H 310 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- Clear glass diffuser



WALL LIGHT



**NEW**

## NERO

3500.-

DIA 200 mm. H 330 mm.



1x E27 MAX. LED 13W

IP 54

- Black
- Aluminium body
- Water drops glass diffuser

## LOFF

2000.-

DIA 120x120 mm D 270 mm.



1x E27 MAX. LED 13W


IP 54

- Black
- Aluminium body
- Clear glass diffuser

**NEW**



WALL LIGHT



## GALLY-R

1000.-

DIA 110 mm. D 26 mm.

 LED 2W 120lm  
 3000K

IP 54

- Surface mounted type  
Black/ Grey  
LED Driver Included  
Aluminium body

## GALLY-S

1000.-

DIA 100x100 mm. D 26 mm.

 LED 2W 120lm  
 3000K

IP 54


- Surface mounted type  
Black/ Grey  
LED Driver Included  
Aluminium body



## GALLY-SL

1200.-

DIA 60x150 mm. D 28 mm.

 LED 3W 185lm  
 3000K

IP 54

- Surface mounted type  
Black/ Grey  
LED Driver Included  
Aluminium body

WALL LIGHT





## STEP-R

1500.-

DIA 110 mm. D 25 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

## STEP-S

1500.-

DIA 105x105 mm. D 24 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



WALL LIGHT



## MONA-R

1200.-

DIA 95 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

## MONA-S

1200.-

DIA 90x90 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body





WALL LIGHT




## HANA-A

1200.-

DIA 125x125 mm. D 27 mm.

 **LED 3W 250lm**  
 3000K



**IP 54**

-  Surface mounted type  
Dark grey  
LED Driver Included  
ABS body


## HANA-B

1200.-

DIA 125x125 mm. D 27 mm.

 **LED 1.5W 145lm**  
 3000K

**IP 54**

-  Surface mounted type  
Dark grey  
LED Driver Included  
ABS body



WALL LIGHT



## HANA-C

1200.-

DIA 80x230 mm. D 27 mm.



LED 1W 85lm



3000K

IP 54



Surface mounted type

Dark grey

LED Driver Included

ABS body

## HANA-D

1800.-

DIA 230x80 mm. D 27 mm.



LED 3W 180lm



3000K

IP 54



Surface mounted type

Dark grey

LED Driver Included

ABS body



WALL LIGHT





**SPOTLIGHT**



## SPOT-S

2000.-

DIA 42 mm. H 96 mm.

220V 3W 130lm  
30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

## KYLER

2000.-

DIA 105 mm. H 185 mm.

220V 12W 950lm  
30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover




SPOTLIGHT




## AMI-S MR11

1500.-

DIA 43 mm. H 105 mm.

 MR11-GU10x1 Max. 50W  
220V

**IP 65**

-  Black
- Aluminium body
- Clear glass cover


## AMI-M

1350.-

DIA 90 mm. H 152 mm.

 220V 5W 400lm  
 24° 3000K

**IP 65**

-  Black
- LED Driver Included
- Aluminium body
- Clear glass cover



SPOTLIGHT



## EMMA-S

1150.-

DIA 47 mm. H 84 mm.



220V 5W 435lm

24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

## EMMA-M

1750.-

DIA 60 mm. H 105 mm.



220V 12W 996lm

24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



## EMMA-L

2300.-

DIA 80 mm. H 135 mm.



220V 18W 1494lm

24° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

SPOTLIGHT





## ALLEN-S

2250.-

DIA 63x109 mm. H 143 mm.

 220V 10W 810lm  
 36° 3000K



**IP 65**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

## ALLEN-M

2850.-

DIA 80x180 mm. H 162 mm.

 220V 15W 1215lm  
 36° 3000K

**IP 65**



- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



## ALLEN-L

3250.-

DIA 80x180 mm. H 162 mm.

 220V 20W 1620lm  
 36° 3000K

**IP 65**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

SPOTLIGHT



## DOLO

2500.-

DIA 80x80 mm. H 58 mm.



220V 8W 588lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

Accessories : Tree strap

## KURTIS

1950.-

DIA 80x80 mm. H 70 mm.



220V 6W 480lm

55° 3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

Accessories : Tree strap




SPOTLIGHT




## KIRA

1350.-

DIA 73x73 mm. H 135 mm.

 GU10x1 Max. 50W  
220V


**IP 54**

-  Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap


## SONIC

1650.-

DIA 65 mm. H 160 mm.

 GU10x1 Max. 50W  
220V

**IP 65**

-  Black
- Aluminium body
- Clear glass cover




SPOTLIGHT



## MELO-B

1350.-

DIA 70 mm. H 125 mm.

 GU10x1 Max. 50W  
220V


**IP 54**

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

## MELO-S

1350.-

DIA 70 mm. H 125 mm.

 GU10x1 Max. 50W  
220V

**IP 54**

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT





## PINTA-S

2750.-

DIA 66x72 mm. H 93 mm.



24Vdc 9W 639lm

15° 30° 45° 60°

IP 66

3000K, 4000K, 6000K

- Black/ Grey
- LED Driver Included
- Aluminium body
- Clear glass cover
- Use with switching power supply 24Vdc
- Accessories : Tree strap

## PINTA-M

4750.-

DIA 114x116 mm. H 157 mm.



24Vdc 20W 1420lm

15° 30° 45° 60°

IP 66

3000K, 4000K, 6000K

- Black/ Grey
- LED Driver Included
- Aluminium body
- Clear glass cover
- Use with switching power supply 24Vdc
- Accessories : Tree strap



## PINTA-L

6750.-

DIA 112x150 mm. H 208 mm.



24Vdc 36W 2556lm

15° 30° 45° 60°

IP 66

3000K, 4000K, 6000K

- Black/ Grey
- LED Driver Included
- Aluminium body
- Clear glass cover
- Use with switching power supply 24Vdc
- Accessories : Tree strap

SPOTLIGHT



## POLO-S

3000.-

DIA 65x65 mm. H 125 mm.



220V 8W 615lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

## POLO-M

4250.-

DIA 90x90 mm. H 145 mm.



220V 18W 1306lm

30° 3000K

IP 65

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



## COOPER-S

3800.-

DIA 91x91 mm. H 135 mm.

 220V 10W 782lm  
 25° 3000K



**IP 66**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

## COOPER-M

7500.-

DIA 158x158 mm. H 212 mm.

 220V 24W 2263lm  
 25° 3000K

**IP 66**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



## KEELAN-S

3500.-

DIA 67 mm. H 175 mm.

 220V 7W 588lm  
 23° 3000K



**IP 65**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

## KEELAN-M

4350.-

DIA 80 mm. H 205 mm.

 220V 13W 1170lm  
 23° 3000K

**IP 65**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover




SPOTLIGHT




## ALLEN-MR16

1850.-

DIA 63x109 mm. H 143 mm.

 MR16x1 Max. 50W  
12V/ 220V


**IP 65**

-  Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap


## ALLEN-GU10

1850.-

DIA 63x109 mm. H 143 mm.

 GU10x1 Max. 50W  
220V

**IP 65**

-  Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



**IDA**

**700.-**

DIA 98 mm. H 93 mm.



GU10x1 Max. 50W  
220V

**IP 55**

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

**IVY**

**700.-**

DIA 98 mm. H 128 mm.



GU10x1 Max. 50W  
220V

**IP 55**

- Black
- Aluminium body
- Clear glass cover
- Accessories : Tree strap




SPOTLIGHT




## LACEY

1000.-

DIA 90 mm. H 150 mm.

 GU10x1 Max. 50W  
220V


**IP 55**

 Black  
Aluminium body  
Clear glass cover


## LADA

1600.-

DIA 110 mm. H 185 mm.

 E27 PAR20x1 Max. 50W  
220V

**IP 55**

 Black  
Aluminium body  
Clear glass cover



SPOTLIGHT



## KERRI-B-MR16

1100.-

DIA 58 mm. H 92 mm.



MR16 x1 Max. 50W  
12V/ 220V

**IP 54**



Black  
Aluminium body  
Clear glass cover  
Accessories : Tree strap, Honeycomb

## KERRI-B-GU10

1100.-

DIA 58 mm. H 92 mm.



GU10x1 Max. 50W  
220V

**IP 54**



Black  
Aluminium body  
Clear glass cover  
Accessories : Tree strap, Honeycomb



SPOTLIGHT







## KERRI-S-MR16

1100.-

DIA 58 mm. H 92 mm.

 MR16 x1 Max. 50W  
12V/ 220V


**IP 54**

-  Black
- Aluminium body
- Clear glass cover
- Accessories : Honeycomb


## KERRI-S-GU10

1100.-

DIA 58 mm. H 92 mm.

 GU10x1 Max. 50W  
220V

**IP 54**

-  Black
- Aluminium body
- Clear glass cover
- Accessories : Honeycomb



SPOTLIGHT



## CHERYL-B-MR16

1200.-

DIA 58 mm. H 175 mm.



MR16 x1 Max. 50W  
12V/ 220V

**IP 54**

- Black  
Aluminium body  
Clear glass cover  
Accessories : Tree strap, Honeycomb

## CHERYL-B-GU10

1200.-

DIA 58 mm. H 175 mm.



GU10x1 Max. 50W  
220V

**IP 54**

- Black  
Aluminium body  
Clear glass cover  
Accessories : Tree strap, Honeycomb



SPOTLIGHT



## CHERYL-S-MR16

1200.-

DIA 58 mm. H 175 mm.



MR16 x1 Max. 50W  
12V/ 220V

**IP 54**



Black  
Aluminium body  
Clear glass cover  
Accessories : Honeycomb

## CHERYL-S-GU10

1200.-

DIA 58 mm. H 175 mm.



GU10x1 Max. 50W  
220V

**IP 54**



Black  
Aluminium body  
Clear glass cover  
Accessories : Honeycomb



SPOTLIGHT

**NEW**



10°X40°

**FLEX**

**12000.-**

DIA : 320 x 32 x 65 mm. (Per 3Modules)

LED 24V 15W (5W per module) **IP 54**  
10°x40° 3000K

Black  
Aluminium body

**FLOW**

**15000.-**

DIA : 523 x 76 x 102 mm. (Per 3Modules)

LED 24V 18W (6W per module) **IP 66**  
15°x45° 3000K

Black  
Aluminium body

**NEW**



15°X45°

**NEW**



20°X40°

**FITT**

**12000.-**

DIA : 1200 X Ø37.5 X 55 mm.

LED 24V 45W **IP 66**  
20°x40° 3000K

Black  
Aluminium body


WALL WASHER

## MANNY-MR16

1000.-



DIA 60 mm. H 85 mm. 115 mm. with anti glare

 MR16 x1 Max. 50W  
12V/ 220V


**IP 54**

- Black
- Aluminium body
- Clear glass cover
- Anti glare hodd included

## MANNY-GU10

1000.-

DIA 60 mm. H 85 mm. 115 mm. with anti glare

 GU10x1 Max. 50W  
220V

**IP 54**

- Black
- Aluminium body
- Clear glass cover
- Anti glare hodd included



SPOTLIGHT



**NEW**


**WINN-SB**

**1750.-**

DIA 64 mm. H 187 mm.

 220V 10W 905lm  
 3000K



**IP 65**

-  Black
- LED Driver Included
- Aluminium body
- Clear glass cover


**WINN-MB**

**2500.-**

DIA 90 mm. H 186 mm.

 220V 20W 1780lm  
 3000K

**IP 65**

-  Black
- LED Driver Included
- Aluminium body
- Clear glass cover



**NEW**

SPOTLIGHT




## WINN-SS

1750.-

DIA 64 mm. H 187 mm.

 220V 10W 905lm  
 3000K



**IP 65**

-  Black
- LED Driver Included
- Aluminium body
- Clear glass cover


## WINN-MS

2500.-

DIA 64 mm. H 186 mm.

 220V 20W 1780lm  
 3000K

**IP 65**

-  Black
- LED Driver Included
- Aluminium body
- Clear glass cover




SPOTLIGHT



## RYDER-GU10

1500.-

DIA 64 mm. H 138 mm.

 GU10x1 Max. 50W  
220V

**IP 65**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

## RYDER-S

1800.-

DIA 50 mm. H 125 mm.

 220V 5W 455lm  
 30° 3000K

**IP 65**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT





## RYDER-M

2500.-

DIA 64 mm. H 138 mm.

 220V 10W 905lm  
 30° 3000K



**IP 65**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap

## RYDER-L

3000.-

DIA 76 mm. H 185 mm.

 220V 15W 1355lm  
 30° 3000K

**IP 65**

- Black
- LED Driver Included
- Aluminium body
- Clear glass cover
- Accessories : Tree strap



SPOTLIGHT



## OVEN-S

2000.-

DIA 60 mm. H 152 mm.



220V 6W 522lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover

## OVEN-M

3000.-

DIA 90 mm. H 152 mm.



220V 12W 1044lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

Clear glass cover




SPOTLIGHT


## BREST GU10

1000.-

DIA 68 mm. H 115 mm.

 GU10x1 Max. 50W  
220V

**IP 65**

 Black  
Aluminium body  
Clear glass cover



**NEW**


## CIRCLE-24V

2000.-

DIA 60x245 mm. H 54 mm.

 24V 12W 840lm  
 10x40°3000K

**IP 65**

 Black/ Silver  
Aluminium body

**NEW**




SPOTLIGHT




## TRON-M 24V

2500.-

DIA 55 mm. H 123 mm.

 24V 7W 565lm  
 24° 3000K

**IP 65**

-  Black
- Aluminium body
- Clear glass cover


## TRON-L 24V

3000.-

DIA 65 mm. H 200.5 mm.

 24V 12W 880lm  
 24° 3000K

**IP 65**

-  Black
- Aluminium body
- Clear glass cover



SPOTLIGHT

## TRAM-18

5000.-

DIA 43x50 mm. L 1000 mm.



24V 18x1W 1802lm

7° 25° 40° 10°x50°

IP 66



3000K/ 4000K/ 6000K

Grey

Use with switching power supply 24Vdc

Aluminium body

Clear glass cover



## TRAM-36

6000.-

DIA 43x50 mm. L 1000 mm.



220V 36x1W 3587lm

7° 25° 40° 10°x50°

IP 66



3000K/ 4000K/ 6000K

Grey

Use with switching power supply 24Vdc

Aluminium body

Clear glass cover



WALL WASHER



**STEP LIGHT**



## REEN

1000.-

DIA 85x85 mm. D 53 mm.



LED 2W 200lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

## HASSEL

2000.-

DIA 50x130 mm. D 60 mm.



LED 5W 350lm



3000K

IP 65

- Recessed type
- Sand Black, Sand Grey
- LED Driver Included
- Aluminium body
- Box installation included





STEP LIGHT




## STEP-OA

1200.-

DIA 110x110 mm. D 100 mm.

 G4x1 Max. 50W  
 Sand black



**IP 55**

-  Recessed type  
Sand Black  
Frosted glass cover  
Aluminium body  
Box installation included


## STEP-OB

1200.-

DIA 110x110 mm. D 102 mm.

 G4x1 Max. 50W  
 Sand black

**IP 55**



-  Recessed type  
Sand Black  
Aluminium body  
Box installation included




## STEP-OC

1200.-

DIA 110x110 mm. D 102 mm.

 G4x1 Max. 50W  
 Sand black


**IP 55**

-  Recessed type  
Black  
Aluminium body  
Box installation included



STEP LIGHT





## GALLY-R

1000.-

DIA 110 mm. D 26 mm.



LED 2W 120lm



3000K

IP 54

- Surface mounted type  
Black/ Grey  
LED Driver Included  
Aluminium body

## GALLY-S

1000.-

DIA 100x100 mm. D 26 mm.



LED 2W 120lm



3000K

IP 54

- Surface mounted type  
Black/ Grey  
LED Driver Included  
Aluminium body



STEP LIGHT



## GALLY-SL

1200.-

DIA 60x150 mm. D 28 mm.




LED 3W 185lm



3000K

IP 54

- Surface mounted type  
Black/ Grey  
LED Driver Included  
Aluminium body



## STEP-R

1500.-

DIA 110 mm. D 25 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

## STEP-S

1500.-

DIA 105x105 mm. D 24 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT



## MONA-R

1200.-

DIA 95 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

## MONA-S

1200.-

DIA 90x90 mm. D 18 mm.



LED 3W 225lm



3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT



## HANA-A

1200.-

DIA 125x125 mm. D 27 mm.



LED 3W 250lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body

## HANA-B

1200.-

DIA 125x125 mm. D 27 mm.



LED 1.5W 145lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body



STEP LIGHT



## HANA-C

1200.-

DIA 80x230 mm. D 27 mm.



LED 1W 85lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body

## HANA-D

1800.-

DIA 230x80 mm. D 27 mm.



LED 3W 180lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body





STEP LIGHT



## STEP-OD

1500.-

DIA 86 mm. D 55 mm.

 **LED 3W 190lm**  
 3000K



**IP 54**

- Recessed type  
Sand Black/ Sand White  
LED Driver Included  
Aluminium body  
Box installation included

## STEP-OE

1500.-

DIA 87x87 mm. D 55 mm.

 **LED 3W 190lm**  
 3000K

**IP 54**



- Recessed type  
Sand Black/ Sand White  
LED Driver Included  
Aluminium body  
Box installation included



## STEP-OF

1500.-

DIA 87x87 mm. D 55 mm.

 **LED 3W 190lm**  
 3000K

**IP 54**

- Recessed type  
Sand Black/ Sand White  
LED Driver Included  
Aluminium body  
Box installation included



STEP LIGHT



## STEP-OM

1000.-

DIA 65 mm. D 50 mm.



**LED 3W 115lm**



3000K

**IP 65**

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

## STEP-ON

1000.-

DIA 65 mm. D 50 mm.




**LED 3W 185lm**



3000K

**IP 65**

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



## ROTTY-R

1050.-

DIA 80 mm. D 50 mm.



LED 3W 200lm



3000K

IP 54

- Recessed type
- Sand Black/ Sand Grey
- LED Driver Included
- Aluminium body
- Box installation included

## ROTTY-S

1050.-

DIA 90x90 mm. D 55 mm.



LED 2W 135lm



3000K

IP 65

- Recessed type
- Sand Black/ Sand Grey
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT





## SHAY

1200.-

DIA 44x100 mm. D 44 mm.



LED 2W 175lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

## STEP-OJ

1000.-

DIA 60x105 mm. D 55 mm.



LED 3W 200lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



## STEP-OK

1500.-

DIA 72x147 mm. D 55 mm.



LED 3W 200lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

## STEP-OL

1500.-

DIA 75x170 mm. D 53 mm.



LED 5W 370lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



## STEP-OS

2000.-

DIA 160x160 mm. D 63 mm.



LED 7W 475lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

## STEP-OT

1200.-

DIA 80x120 mm. D 50 mm.



LED 3W 200lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



## JENNY

2000.-

DIA 115x115 mm. D 60 mm.



LED 2x2W 200lm



3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



## LINA

2000.-

DIA 75x192 mm. H 97 mm.




LED 5W 350lm



3000K

IP 54

- Surface mounted type
- Sand Black
- LED Driver Included
- Aluminium body



STEP LIGHT



## GLATO

2000.-


DIA 102x180 mm. D 92 mm.



1x GU10 MAX. 50W

IP 54

- Surface mounted type
- Sand Black
- Aluminium body
- PC diffuser



## GLENN

1350.-


DIA 68x140 mm. D 69 mm.



1x GU10 MAX. 50W

IP 54

- Surface mounted type
- Sand Black
- Aluminium body
- Clear glass cover



STEP LIGHT

**STEP-OX****1500.-**

DIA 80 mm. D 50 mm.

**LED 3W 160lm**

3000K

**IP 65**

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

**STEP-OP****1000.-**

DIA 65x65 mm. D 70 mm.

**LED 3W 145lm**

3000K

**IP 65**

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



## ARINA-A

2000.-

DIA 82x192 D 94 mm.



LED 10W 650lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included

## ARINA-B

2000.-

DIA 82x192 mm. D 101 mm.




LED 10W 650lm

3000K

IP 65

- Recessed type
- Sand Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



**INGROUND LIGHT**





## ING-R

1800.-

DIA 42 mm. H 63 mm.



**CREE CHIP LED 3W 115lm**



3000K




Aluminium Cover

Recess Housing Included

LED Driver 700mA Included

Dimmable (0-10V/ Triac) Optional



## ING-S

1800.-

DIA 42x42 mm. H 63 mm.



**CREE CHIP LED 3W 115lm**



3000K




Aluminium Cover

Recess Housing Included

LED Driver 700mA Included

Dimmable (0-10V/ Triac) Optional





## MUSH-R1

1800.-

DIA 58.5 mm. H 58 mm.



**CREE CHIP LED 3W 115lm**



1-WAY LIGHT ● 3000K 24Vdc


**IP 67**



Aluminium Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



## MUSH-R2

1800.-

DIA 58.5 mm. H 58 mm.



**CREE CHIP LED 3W 115lm**



2-WAY LIGHT ● 3000K 24Vdc



**IP 67**



Aluminium Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



## MUSH-R4

1800.-

DIA 58.5 mm. H 58 mm.



**CREE CHIP LED 3W 115lm**



4-WAY LIGHT ● 3000K 24Vdc


**IP 67**




Aluminium Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



INGROUND LIGHT



## ING-50

2000.-

DIA 50 mm. H 40 mm.



**CREE CHIP LED 3W 115lm**

10°

25°



3000K 24Vdc

**IP 67**



Stainless SUS 316 Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional

## ING-95

3800.-

DIA 95 mm. H 135 mm.



**CREE CHIP LED 10W 912lm**

23°



3000K 24Vdc



**IP 67**



Stainless SUS 316 Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



## ING-120

5050.-

DIA 120 mm. H 145 mm.



**CREE CHIP LED 15W 1320lm**

23°



3000K 24Vdc

**IP 67**



Stainless SUS 316 Cover

Recess Housing Included

Dimmable (0-10V/ Triac) Optional



## ING-SRGB

2950.-

DIA 50 mm. H 80 mm.



EDISON LED 3W 130lm




RGB 24Vdc

IP 67



Stainless SUS 316 Cover  
Recess Housing Included  
Use with RGB Controller



## ING-CWW

3500.-

DIA 120 mm. H 94 mm.



CREE CHIP LED 3x2W 320lm




3000K 24Vdc

IP 67



Stainless SUS 316 Cover  
Recess Housing Included  
Dimmable (0-10V/ Triac) Optional



## ING-CRGB

5750.-

DIA 58.5 mm. H 58 mm.



EDISON LED RGB 3x3W 295lm




RGB 24Vdc

IP 67



Stainless SUS 316 Cover  
Recess Housing Included  
Use with RGB Controller



www.speclight.co.th

INGROUND LIGHT



## ING-32

2200.-

DIA 32 mm. H 41.5 mm.





CREE CHIP LED 1W 75lm



3000K 24Vdc



- Stainless SUS 304 Cover
- Recess Housing Included
- Honeycomb included
- Dimmable (0-10V/ Triac) Optional



## ING-62

2200.-

DIA 62 mm. H 42.5 mm.




OSRAM CHIP LED 3W 115lm



3000K 24Vdc



- Aluminium 6063 Cover
- Recess Housing Included
- Honeycomb included
- Dimmable (0-10V/ Triac) Optional



INGROUND LIGHT

## ING-78

2500.-

DIA 78 mm. H 55 mm.



**CREE CHIP LED 6W 475lm**



3000K 24Vdc





Aluminium 6063 Cover

Recess Housing Included

Honeycomb included

Dimmable (0-10V/ Triac) Optional



## ING-92

3000.-

DIA 78 mm. H 75 mm.



**OSRAM CHIP LED 9W 735lm**



3000K 24Vdc





Aluminium 6063 Cover

Recess Housing Included

Honeycomb included

Dimmable (0-10V/ Triac) Optional



INGROUND LIGHT



## ING-RMR

1500.-

DIA 100 mm. H 105 mm.





1x MR16 MAX. 50W

IP 67



Stainless SUS 304 Cover  
Recess Housing Included



## ING-RGU

1500.-

DIA 100 mm. H 105 mm.





1x GU10 MAX. 50W

IP 67



Stainless SUS 304 Cover  
Recess Housing Included





## ING-SMR

1500.-

DIA 100x100 mm. H 105 mm.





1x MR16 MAX. 50W

IP 67



Stainless SUS 304 Cover  
Recess Housing Included



## ING-SGU

1500.-

DIA 100x100 mm. H 105 mm.





1x GU10 MAX. 50W

IP 67



Stainless SUS 304 Cover  
Recess Housing Included



INGROUND LIGHT





## ING-ADJ

2500.-

DIA 110 mm. H 147 mm.





1x GU10 MAX. 50W

**IP 67**

ADJUSTABLE



Stainless SUS 304 Cover  
Recess Housing Included



## ING-GX53

2000.-

DIA 120 mm. H 70 mm.





1x GX53 MAX. 50W

**IP 67**



Stainless SUS 304 Cover  
Recess Housing Included



INGROUND LIGHT

The background consists of a 4x4 grid of 16 squares. The colors transition from light yellow in the top-left corner to bright red in the bottom-right corner, following a diagonal gradient. The text is centered horizontally and vertically within the grid.


**OUTDOOR  
DOWNLIGHT**




## JADEN-R

1500.-

DIA 90 mm. H 120 mm.

 GU10x1 Max.50W  
Sand black


**IP 54**

 Fixed  
Aluminium Body  
Clear glass cover


## JADEN-S

1500.-

DIA 90x90 mm. H 125 mm.

 GU10x1 Max.50W  
Sand black

**IP 54**

 Fixed  
Aluminium Body  
Clear glass cover




DOWNLIGHT

## LINDA-R


1500.-

DIA 90 mm. H 95 mm.



 GU10x1 Max.50W  
Sand black/ Sand white


**IP 65**

 Fixed  
Aluminium Body  
Frosted glass cover


## LINDA-S

1500.-

DIA 90x90 mm. H 95 mm.

 GU10x1 Max.50W  
Sand black/ Sand white

**IP 65**

 Fixed  
Aluminium Body  
Frosted glass cover




DOWNLIGHT




## HUGO-R

1800.-

DIA 110 mm. H 160 mm.

 E27x1 Max. 60W  
Sand black


**IP 54**

 Fixed  
Aluminium Body  
Clear glass cover


## HUGO-S

1800.-

DIA 110x110 mm. H 160 mm.

 E27x1 Max. 60W  
Sand black

**IP 54**

 Fixed  
Aluminium Body  
Clear glass cover



DOWNLIGHT



## TITAN

2150.-

DIA 90 mm. H 92 mm.



**LED COB 10W 755lm**



3000K, 4000K

Matt white/ Matt black/

**IP 65**



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

## LUCENT

600.-

DIA 85 mm. H 45 mm.



MR16x1/ GU10/ LED Module

Matt white/ Matt black trim

**IP 65**



Fixed

Aluminium Body

Clear glass cover



## HOWELL

1000.-

DIA 100 mm. H 65 mm.



GX53 Max. 50W

Sand black

**IP 54**



Fixed

Aluminium Body

Frosted glass cover



DOWNLIGHT



## NANO-R

2150.-

DIA 90 mm. H 77 mm.



**LED COB 10W 843lm**  
3000K, 4000K  
Matt white trim

**IP 65**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## NANO-S

2150.-

DIA 90x90 mm. H 77 mm.



**LED COB 10W 843lm**  
3000K, 4000K  
Matt white trim

**IP 65**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



DOWNLIGHT



**UNDERATER LIGHT**





## **RUW-3WW**

**3150.-**

DIA 50 mm. H 56 mm.



 24Vdc 3W 264lm  
 24° 3000K



**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 24Vdc switching power supply  
Wire 1m.  
Box size Dia 62mm. H 95mm.

## **RUW-10WW**

**4950.-**

DIA 95 mm. H 80 mm.


 24Vdc 10W 912lm  
 23° 3000K

**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 24Vdc switching power supply  
Wire 1m.  
Box size Dia 84mm. H 113mm.




UNDERWATER



## SUW015

4200.-

DIA 101 mm. H 123 mm.

 LED MR16x1  
Use 12V only


**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 12Vdc switching power supply  
Wire 3m.

## SUB015

4050.-

DIA 75 mm. H 74 mm.

 LED MR16x1  
Use 12V only

**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 12Vdc switching power supply  
Wire 3m.



UNDERWATER



## SUW-3WW

3500.-

DIA 49.5 mm. H 50 mm.

 24Vdc 3W 264lm  
 40° 3000K



**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 24Vdc switching power supply  
Wire 1.5m.

## SUW-7WW

4350.-

DIA 80 mm. H 97 mm.

 24Vdc 7W 616lm  
 23° 3000K

**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 24Vdc switching power supply  
Wire 1.5m.



UNDERWATER



## **RUW-6WW**

**4500.-**

DIA 120 mm. H 64 mm.

 24Vdc 6W 528lm  
 30° 3000K



**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 24Vdc switching power supply  
Wire 1m.  
Box size Dia 125mm. H 113mm.

## **RUW-9RGB**

**6000.-**

DIA 120 mm. H 64 mm.

 24Vdc 3x3W 266lm  
 40° RGB Color change

**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 24Vdc switching power supply  
Use with RGB controller  
Wire 1m.  
Box size Dia 125mm. H 113mm.



UNDERWATER



## **RUW-14WW**

**7000.-**

DIA 150 mm. H 113 mm.



24Vdc 7x2W 812lm

30° 3000K

**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 24Vdc switching power supply  
Wire 1.5m.  
Box size Dia 150mm. H 113mm.

## **RUW-24WW**

**9500.-**

DIA 180 mm. H 113 mm.



24Vdc 12x2W 1410lm

30° 3000K

**IP 68**

- Stainless steel SUS316  
Tempered glass cover  
Use with 24Vdc switching power supply  
Wire 1.5m.  
Box size Dia 180mm. H 113mm.



**UNDERWATER**